

CLAIMS

1. Blister pack for pharmaceutical use comprising blisters containing a solid dosage form of desmopressin, or a pharmaceutically acceptable salt thereof, in association with a pharmaceutically acceptable adjuvant, diluent or carrier, wherein said solid dosage form is adapted to prevent moisture related degradation of said desmopressin.
- 5 2. Blister pack according to claim 1, wherein said solid dosage form contains an agent that provides a pH in the range of from 3.0 to 6.2 as measured when said solid dosage form is contacted with water.
- 10 3. Blister pack according to claim 2, wherein said pH is in the range of from 3.5 to 5.5.
- 15 4. Blister pack according to claim 3, wherein said pH is in the range of from 4.0 to 5.0, preferably from 4.5 to 4.8.
- 20 5. Blister pack according to any one of claims 1-4, wherein said agent is an acid, preferably an acid selected from a group consisting of citric acid, hydrochloric acid and malic acid.
- 25 6. Blister pack according to any one of claims 1-5, wherein said blisters are composed of a material selected from PVC, PVC/PVDC blends, PE, PP, polystyrene, polystyrene, paper, polyamide, PET, COC, aluminium foil and blends thereof.
- 30 7. Blister pack according to any one of claims 1-6, wherein said solid dosage form does not comprise an enteric coating.
8. Blister pack according to any one of claims 1-7, wherein said solid dosage form is selected from a group consisting of tablets, granulate powder, lozenge, cachet, dry powder, capsule and wafer sheet.
- 35 9. Solid dosage form of desmopressin, or a pharmaceutically acceptable salt thereof, in association with a pharmaceutically acceptable adjuvant, diluent or carrier,

wherein said solid dosage form comprises an agent that provides a pH in the range of from 4.5 to 5.5 as measured when said solid dosage form is contacted with water; with the proviso that said solid dosage form does not comprise 5 fish gelatin or an enteric coating.

10. Solid dosage form according to claim 9, wherein said pH is in the range of from 4.5 to 5.0, preferably from 4.5 to 4.8.

11. Solid dosage form according to any one of claims 10 9-10, wherein said agent is an acid, preferably an acid selected from a group consisting of citric acid, hydrochloric acid and malic acid.

12. Solid dosage form according to any one of claims 9-11, which is selected from a group consisting of tablets, granulate powder, lozenge, cachet, dry powder, capsule and wafer sheet.

13. Blister pack for pharmaceutical use comprising blisters containing a solid dosage form as defined in any one of claims 9-12.

20 14. Blister pack according to claim 13, wherein said blisters are composed of a material selected from PVC, PVC/PVDC blends, PE, PP, polystyrene, polyester, paper, polyamide, PET, COC, aluminium foil and blends thereof.